

[ ARTLINE ]

# CREATION 30

[gerflor.com](http://gerflor.com)




**Gerflor**<sup>®</sup>  
theflooringgroup

# [ ARTLINE ] ▶ CREATION 30

# 3

INSTALLATION SOLUTIONS  
SYSTÈMES DE POSE  
VERLEGELÖSUNGEN



**INTERLOCKING  
CLIPSABLE  
KLICKSYSTEM**

## [ ARTLINE LOCK ] ▶ CREATION 30 LOCK

**HORIZONTAL LOCK**  
NO ADHESIVE

**LOCK HORIZONTAL**  
SANS COLLE

**HORIZONTAL LOCK**  
OHNE KLEBSTOFF



**LOOSELAY -  
REMOVABLE  
PLOMBANT -  
REPOSITIONNABLE  
LOSE VERLEGUNG -  
WIEDERAUFNEHMBAR**

## **NEW** CREATION 30 X'PRESS

**EXCLUSIVE LOOSELAY CONSTRUCTION\***  
INTEGRATED TACKIFER  
REMOVABLE

**CONCEPTION PLOMBANTE EXCLUSIVE\***  
ADHÉSIF INTÉGRÉ  
REPOSITIONNABLE

**EXKLUSIVES SELBSTLIEGENDES VERLEGESYSTEM\***  
INKLUSIVE DRUCKAKTIVIERTEM KLEBSTOFF  
WIEDERAUFNEHMBAR



**PERMANENT ADHESIVE  
COLLAGE PERMANENT  
VOLLFLÄCHIGE  
VERKLEBUNG**

## [ ARTLINE ] ▶ CREATION 30

**PERMANENT INSTALLATION ON PREPARED SUBFLOOR**  
IDEAL FOR NEW PROJECTS

**POSE PERMANENTE SUR SUPPORT PRÉPARÉ**  
IDÉAL NOUVEAUX PROJETS

**DAUERHAFTE VERLEGUNG AUF VORBEREITETEM UNTERGRUND**  
IDEAL FÜR NEUE PROJEKTE

CREATION 30	CREATION 55	CREATION 70
0,30*	0,55*	0,70*
▲ TRAFFIC & RESISTANCE		

\*Wear layer (mm) / Couche d'usure (mm) / Nutzschicht (mm)



\* Adhésif intégré / Druckaktivierter Klebstoff. \*\* À maroufler / Anwalzen erforderlich






CAMBRIDGE 0465



15.2 x 91.4



MAZURKA 0349



15.2 x 91.4



BALLERINA 0347



15.2 x 91.4



17.8 x 124.5



18.4 x 121.9



BOSSA NOVA 0588



18.4 x 121.9



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL






BOSSA NOVA

DES DESIGNS  
HIGH / FORT / HOCH




FOLK 0488  
15.2x91.4



TEMPO 0262  
15.2x91.4



PAVANE 0499  
15.2x91.4



MORRIS 0265  
15.2x91.4  
17.8 x 124.5  
18.4x121.9



BAMBA 0492



15.2x91.4



TANGO 0498



15.2x91.4



BUFFALO 0457



15.2x91.4



RUMBA 0502



15.2x91.4



BREAK DANCE



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL





HONEY OAK 0441



15.2x91.4



17.8 x 124.5



QUARTET 0503




15.2x91.4



17.8 x 124.5



18.4x121.9




RUSTIC OAK 0445



15.2 x 91.4



17.8 x 124.5



BREAK DANCE 0589



18.4 x 121.9



17.8 x 124.5



18.4x121.9

RUMBA

DES DESIGNS

HIGH / FORT / HOCH



BOOGIE 0490



	15.2x91.4
	18.4 x 121.9
	17.8 x 124.5
	18.4 x 121.9



AMADOR 0447



	15.2x91.4
	17.8 x 124.5
	18.4 x 121.9



OXFORD 0061



	18.4 x 121.9
	17.8 x 124.5



MILONGA 0591



	18.4 x 121.9
--	--------------



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL





BOOGIE

DES DESIGNS

HIGH / FORT / HOCH



FLAMENCO 0493



15.2x91.4



PASO DOBLE 0592



18.4 x 121.9



CUMBIA 0587



18.4x121.9



MILONGA



SALSA 0593



	18.4 x 121.9
	17.8 x 124.5
	18.4 x 121.9



TAMOURE 0586



	18.4 x 121.9
	17.8 x 124.5
	18.4 x 121.9



ARENA 0060



	18.4 x 121.9
	17.8 x 124.5



MADISON 0491



	15.2 x 91.4
	17.8 x 124.5



NORTH WOOD

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE




LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL





CALYPSO 0489



15.2x91.4



17.8 x 124.5



SIRTAKI 0590



18.4x121.9



NORTH WOOD 0743



18.4 x 121.9



TWIST 0504



15.2 x 91.4



17.8 x 124.5



18.4 x 121.9



ROYAL OAK GOLD  
0739



18.4 x 121.9



ROYAL OAK COFFEE  
0740




18.4 x 121.9



ALAMO SAND 0738



18.4 x 121.9



ALAMO ASH 0737



18.4 x 121.9



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL





ROYAL OAK GOLD



BEBOP 0585



	18.4 x 121.9
	17.8 x 124.5
	18.4 x 121.9



CHARLESTON 0501



	15.2 x 91.4
--	-------------



BOSTONIAN 0749



	18.4 x 137.1
--	--------------



PASADENA 0386



	MIX*
--	------



BOSTONIAN

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING




MEDIUM / MOYEN / MITTEL





TIMBER CAMEL 0742   
 11.4 x 61  
18.4 x 121.9



TIMBER RUST 0741   
 11.4 x 61  
18.4 x 121.9



TIMBER CAMEL



ANDANTE 0505



61 x 61



30.3 x 60.7



PARKER STATION  
0374



61 x 61



30.3 x 60.7



30.5 x 61



RIVERSIDE 0436



61 x 61



30.3 x 60.7



30.5 x 61



BOLERO 0475



30.5 x 61



30.3 x 60.7



DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING



MEDIUM / MOYEN / MITTEL





BACK STREET

DES DESIGNS

HIGH / FORT / HOCH



DURANGO TAUPE  
0751



61 x 61



SOPRANO 0414



30.5 x 61




30.3 x 60.7



BACK STREET 0748




30.5 x 61



DURANGO MOKA  
0750



61 x 61



PASHMINA STORM  
0746



45.7 x 91.4



PASHMINA CLOUD  
0747



45.7 x 91.4



CARRARE 0744



30.5 x 61  
18.4 x 121.9



CARRARE



PASHMINA STORM

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE



LIGHT / LÉGER / GERING




MEDIUM / MOYEN / MITTEL






SILVER CITY 0373




 61x61

 30.3 x 60.7



CARMEL 0618



 30.5 x 61


 30.3 x 60.7


 30.5 x 61





STACCATO 0476



 61x61


 30.3 x 60.7

 30.5 x 61



NORVEGIAN SLATE  
0438



 30.5x61



BEBOP



STACCATO

**EXCLUSIVE EMBOSSES** FOR ENHANCED DESIGNS  
**SURFACES GRAINÉES** POUR UNE MATIÈRE TRÈS RÉALISTE  
**VERSCHIEDENE EXKLUSIVE OBERFLÄCHENPRÄGUNGEN**  
FÜR NOCH REALISTISCHERE DESIGNS

HAMMERED



BRUSHED



SLATE



LIGHT



PERFORATED



NATURAL



STONE



RUSTIC WOOD



## STAMPED



## SAW EFFECT




## GENUINE



		<b>CREATION 30</b> 	<b>CREATION 30</b> LOCK 	<b>CREATION 30</b> X'PRESS 
	<b>Code</b>	<b>Slip Resistance wet / Glissance humide / Rutschhemmung (DIN 51130)</b> <b>Embosses / Grains / Prägungen</b>		
AMADOR	0447	R9 - SAW EFFECT	R9 - SAW EFFECT	R9 - SAW EFFECT
BALLERINA	0347	R9 - NATURAL	R9 - NATURAL	R9 - NATURAL
BEBOP	0585	R10 - BRUSHED	R10 - BRUSHED	R10 - BRUSHED
BOOGIE	0490	R10 - BRUSHED	R10 - BRUSHED	R10 - BRUSHED
BREAK DANCE	0589	R10 - RUSTIC WOOD	R10 - RUSTIC WOOD	R10 - RUSTIC WOOD
CARMEL	0618	R10 - HAMMERED	R10 - HAMMERED	R10 - HAMMERED
MORRIS	0265	R9 - NATURAL	R9 - NATURAL	R9 - NATURAL
PARKER STATION	0374	R10 - HAMMERED	R10 - HAMMERED	R10 - HAMMERED
QUARTET	0503	R9 - NATURAL	R9 - NATURAL	R9 - NATURAL
RIVERSIDE	0436	R10 - HAMMERED	R10 - HAMMERED	R10 - HAMMERED
SALSA	0593	R9 - SAW EFFECT	R9 - SAW EFFECT	R9 - SAW EFFECT
STACCATO	0476	R11 - PERFORATED	R11 - PERFORATED	R11 - PERFORATED
TAMOURE	0586	R10 - BRUSHED	R10 - BRUSHED	R10 - BRUSHED
TWIST	0504	R9 - NATURAL	R9 - NATURAL	R9 - NATURAL
ANDANTE	0505	R9 - STONE	R9 - STONE	
ARENA	0060	R9 - SAW EFFECT	R9 - SAW EFFECT	
BOLERO	0475	R9 - STONE	R9 - STONE	
CALYPSO	0489	R10 - BRUSHED	R10 - BRUSHED	
HONEY OAK	0441	R9 - NATURAL	R9 - NATURAL	
MADISON	0491	R10 - BRUSHED	R10 - BRUSHED	
OXFORD	0061	R10 - BRUSHED	R10 - BRUSHED	
RUSTIC OAK	0445	R9 - LIGHT	R9 - LIGHT	
SILVER CITY	0373	R10 - HAMMERED	R10 - HAMMERED	
SOPRANO	0414	R10 - HAMMERED	R10 - HAMMERED	
ALAMO ASH	0737	R9 - STAMPED		
ALAMO SAND	0738	R9 - STAMPED		
BACK STREET	0748	R10 - HAMMERED		
BAMBA	0492	R10 - BRUSHED		
BOSSA NOVA	0588	R9 - SAW EFFECT		
BOSTONIAN	0749	R9 - NATURAL		
BUFFALO	0457	R10 - BRUSHED		
CAMBRIDGE	0465	R9 - NATURAL		
CARRARE	0744	R9 - STONE		
CHARLESTON	0501	R9 - SAW EFFECT		
CUMBIA	0587	R10 - RUSTIC WOOD		
DURANGO MOKA	0750	R10 - HAMMERED		
DURANGO TAUPE	0751	R10 - HAMMERED		
FLAMENCO	0493	R9 - SAW EFFECT		
FOLK	0488	R9 - NATURAL		
MAZURKA	0349	R9 - NATURAL		
MILONGA	0591	R9 - SAW EFFECT		
NORTH WOOD	0743	R10 - BRUSHED		
NORVEGIAN SLATE	0438	R10 - SLATE		
PASADENA	0386	R10 - BRUSHED		
PASHMINA CLOUD	0747	R9 - STONE		
PASHMINA STORM	0746	R9 - STONE		
PASO DOBLE	0592	R10 - RUSTIC WOOD		
PAVANE	0499	R9 - NATURAL		
ROYAL OAK COFFEE	0740	R9 - GENUINE		
ROYAL OAK GOLD	0739	R9 - GENUINE		
RUMBA	0502	R10 - BRUSHED		
SIRTAKI	0590	R10 - RUSTIC WOOD		
TANGO	0498	R9 - NATURAL		
TEMPO	0262	R9 - NATURAL		
TIMBER CAMEL	0742	R10 - BRUSHED		
TIMBER RUST	0741	R10 - BRUSHED		


# DECOR SKIRTING PLINTHE DÉCOR DEKOR-SOCKELLEISTE



Installed with adhesive or clip / Pose adhésivée ou clipsée /  
Montage mit Klebstoff oder Befestigungs-Clip

## MATCHING DESIGNS DÉCORS ASSORTIS ABGESTIMMTE FARBEN






Call your customer service for further information.  
Appelez le Service Clients pour plus d'informations.  
Rufen Sie für weitere Informationen unseren  
Kundenservice an.



## PACKAGING CONDITIONNEMENT VERPACKUNGSEINHEITEN

Format (cm)	m <sup>2</sup> / box m <sup>2</sup> / boîte m <sup>2</sup> / paket	m <sup>2</sup> / palett m <sup>2</sup> / palette m <sup>2</sup> / palette
<b>CREATION 30</b>		
11.4 x 61	3.34	293.92
15.2 x 91.4	3.34	240.48
18.4 x 121.9	3.36	302.40
18.4 x 137.1	3.03	287.85
30.5 x 61	3.34	160.32
61 x 61	3.35	187.04
45.7 x 91.4	3.34	240.48
7.6 x 15.2 x 22.8 x 91.4	3.34	240.48
<b>CREATION 30 LOCK</b>		
17.8 x 124.5	1.77	141.60
30.3 x 60.7	1.84	143.52
<b>CREATION 30 X'PRESS</b>		
18.4 x 121.9	1.79	143.20
30.5 x 61	1.86	83.70
<b>Decor Skirting / Plinthe Décor / Dekor-Sockelleiste :</b>		
5 x 2.4 lm / box • 5 x 2.4 ml / boîte • 5 x 2,4 lfm / paket		



	Code	 CREATION 30	 CREATION 30 LOCK	 CREATION 30 X'PRESS	 DÉCOR SKIRTING / PLINTHE DÉCOR DEKOR-SOCKELLEISTE	 DÉCOR SKIRTING / PLINTHE DÉCOR DEKOR-SOCKELLEISTE *
AMADOR	0447	•	•	•	0447	
BALLERINA	0347	•	•	•	0347	
BEBOP	0585	•	•	•	0358	
BOOGIE	0490	•	•	•	0357	
BREAK DANCE	0589	•	•	•		0445
CARMEL	0618	•	•	•		0007
MORRIS	0265	•	•	•	0265	
PARKER STATION	0374	•	•	•		0003
QUARTET	0503	•	•	•	0503	
RIVERSIDE	0436	•	•	•		0005
SALSA	0593	•	•	•	0582	
STACCATO	0476	•	•	•	0476	
TAMOURE	0586	•	•	•	0448	
TWIST	0504	•	•	•	0504	
ANDANTE	0505	•	•	-		0505
ARENA	0060	•	•	-	0356	
BOLERO	0475	•	•	-		0447
CALYPSO	0489	•	•	-	1489	
HONEY OAK	0441	•	•	-	0441	
MADISON	0491	•	•	-	0491	
OXFORD	0061	•	•	-		0447
RUSTIC OAK	0445	•	•	-	0445	
SILVER CITY	0373	•	•	-		0007
SOPRANO	0414	•	•	-	0414	
ALAMO ASH	0737	•	-	-		0446
ALAMO SAND	0738	•	-	-		0458
BACK STREET	0748	•	-	-		0008
BAMBA	0492	•	-	-	0492	
BOSSA NOVA	0588	•	-	-		0347
BOSTONIAN	0749	•	-	-		0356
BUFFALO	0457	•	-	-	0359	
CAMBRIDGE	0465	•	-	-	0272	
CARRARE	0744	•	-	-	0744	
CHARLESTON	0501	•	-	-		0461
CUMBIA	0587	•	-	-	0458	
DURANGO MOKA	0750	•	-	-		0006
DURANGO TAUPE	0751	•	-	-		0007
FLAMENCO	0493	•	-	-		0445
FOLK	0488	•	-	-		0335
MAZURKA	0349	•	-	-	0442	
MILONGA	0591	•	-	-	0584	
NORTH WOOD	0743	•	-	-		0008
NORVEGIAN SLATE	0438	•	-	-		0004
PASADENA	0386	•	-	-	0386	
PASHMINA CLOUD	0747	•	-	-		0003
PASHMINA STORM	0746	•	-	-	0746	
PASO DOBLE	0592	•	-	-		0458
PAVANE	0499	•	-	-		0450
ROYAL OAK COFFE	0740	•	-	-	0740	
ROYAL OAK GOLD	0739	•	-	-		0062
RUMBA	0502	•	-	-	0360	
SIRTAKI	0590	•	-	-		1489
TANGO	0498	•	-	-		0360
TEMPO	0262	•	-	-	0262	
TIMBER CAMEL	0742	•	-	-		0001
TIMBER RUST	0741	•	-	-		0528

\* Matching given for information purpose / Correspondances approchantes données à titre indicatif / Ähnlich in Farbe und Design (unverbindliche Angabe)

• : Available / Disponible / Verfügbar



\* information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

## DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPCIÓN / DESCRIZÃO / DESCRIZIONE

Épaisseur totale / Total Thickness / Gesamtdicke / Totale dikte / Espesor total / Espessura total / Spessore totale

Épaisseur couche d'usure / Thickness of the wearlayer / Dicke der Nutzschrift / Dikte van de slijtlaag / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura

Poids / Weight / Flächengewicht / Gewicht / Peso / Peso / Peso

Format / Size / Format / Afmetingen / Dimensiones / Dimensões / Dimensione

## CLASSIFICATION / KLASIFIKATION / CLASSIFICATIE / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI

Norme / Spécification produit / Norm / Product Specification / Produkt-Norm / Technische eigenschappen / Normas / Normas / Norma prodotto

Classement européen / European Classification / Europäische Klassifizierung / Europese classificatie / Europea / Europea / Europea

### Classement UPEC

### Certification NF UPEC

### Avis technique

Classement Feu / Fire Rating / Brandverhalten / Brand classificatie / Fuego / Fogo / Reazione al fuoco

Potentiel de charge / Static Electrical Propensity / Begehauladung / Elektrische eigenschappen / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica

Glissance humide / Slip Resistance Wet / Rutschhemmung / Anti-slip / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida (1)

## PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE

Résistance à l'usure / Wear Resistance / Verschleißverhalten / Slijtvastheid / Abrasión / Abrasão / Resistenza all'abrasione

Groupe d'abrasion / Wear Group / Verschleißgruppe / Groep slijtvastheid / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione

Teneur en agent liant / Type Binder content / Bindemittelgehalt / Contenido en ligante

Stabilité dimensionnelle / Dimensional Stability Maßstabilität / Maatvastheid / Estabilidad dimensional / Estabilidade dimensional / Stabilità dimensionale

Poinçonnement statique rémanent / Residual Indentation / Resteindruck / Indrukbelasting / Punzonamiento / Punçoamento / Impronta

Isolation acoustique bruits de chocs / Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Acústica / Isolamento acustico

Sonorité à la marche / Room Impact / Raumschall / Loopgeluid / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar

Essai de la chaise à roulettes / Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passaggio di sed (Type W)

Conductivité thermique / Thermal Conductivity / Wärmeleitfähigkeit / Thermische weerstand / Resistenci térmica / Resistência térmica / Resistenza termica

Solidité lumière / Colour Fastness / Lichtechtheit / Lichtechtheit / Resistencia a la luz / Estabilidade das cores / Solidità alla luce

Traitement de surface / Surface Treatment / Oberflächenvergütung / Oppervlaktebehandeling / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie

Résistance aux produits chimiques / Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici (2)

## ENVIRONNEMENT / QUALITE DE L'AIR INTERIEUR / ENVIRONMENT / INDOOR AIR QUALITY / UMWELT / INNERRAUMLUFTQUALITÄT / MEDIO AMBIENTE / AMBIENTE - CALIDAD INTERIOR DEL AIRE / QUALIDADE DO AR INTERIOR

TVOC après 28 jours / TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni)

Certification / Zeugnis / Certificado / Certificação





## MARQUAGE CE / CE MARKING / CE KENNZEICHNUNG / EG\_CONFORMITEITSMERK / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA



[1] Ramp test with oil / Plan incliné avec huile / Schiefe Ebene - [2] Beständig gegenüber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Säuren und Laugen bei kurzzeitiger Einwirkung - [3] Boogie.

\*Glissance humide / Slip Resistance Wet / Rutschhemmung : détails sur le site internet gerflor.com / details on web site gerflor.com / Einzelheiten auf der Web-site gerflor.com

CREATION 30

		[ Artline ] <b>CREATION 30</b> Design	[ Artline ] <b>CREATION 30</b> <sup>[3]</sup>	[ Artline Lock ] <b>CREATION 30</b> LOCK	<b>CREATION 30</b> X'PRESS
EN ISO 24346 [EN 428]	mm	2.00	2.00	4.00	4.00
ASTM F386	inch	0.08	0.08	0.16	0.16
EN ISO 24340 [EN 429]	mm	0.30	0.30	0.30	0.30
ASTM F410	inch	0.01	0.01	0.01	0.01
EN ISO 23997 [EN 430]	g/m <sup>2</sup>	3460	3280	7760	7600
EN ISO 24343 (EN 427)	mm	457x914 / 610x610 305x610 / 184x1371 184x1219 / 152x914 114x610 Mix : 152x914 / 228x914 / 76x914	152.4x914.4	303x607 178x1245	184x1219 305x610
ASTM F 536	inch	18"x36" / 24"x24" 12"x24" / 7.25"x54" 7.25"x48" / 6"x36" / 4.5"x24" Mix : 6"x36" / 9"x36" / 3"x36"	6"x36"	11.9"x23.9" 7"x49"	7.25"x48" 12"x24"
-	-	EN ISO 10582 [EN 649]	EN ISO 10582 [EN 649]	EN ISO 10582 [EN 649]	EN ISO 10582 [EN 649]
ASTM F 1700	-	Class III Type B	Class III Type B	-	-
EN ISO 10874 [EN 685]	classe/ class	23-31	23-31	23-31	23-31
<b>NF 189</b>	-	<b>U2SP2E2C2</b>	<b>U2SP2E2C2</b>	-	<b>U2SP3E1/2C2</b>
<b>NF 189</b>	n° certif	<b>783/356-003.1</b>	<b>302-014.1</b>	-	-
-	n° AT	-	-	-	<b>12/15-1707</b>
EN 13 501-1	classe/ class	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
EN 1815	kV	< 2	< 2	< 2	< 2
DIN 51 130	classe/ class	R9-R10-R11*			
EN 660.2	mm <sup>3</sup>	≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0
NF 189 [EN 649]	Groupe	T	T	T	T
EN ISO 10582	Type	I	I	I	I
EN ISO 23999 [EN 434]	%	≤ 0.15	≤ 0.15	≤ 0.15	≤ 0.15
EN ISO 24343-1 [EN 433]	mm	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10
EN ISO 717-2	dB	4	4	4	5
NF S 31074	dB	77	77	76	74
ISO 4918 [EN 425]	-	OK	OK	OK	OK
EN ISO 10456 [EN 12524]	W/(m.K)	0.25	0.25	0.25	0.25
EN 20 105 - B02	degré /degree	≥ 6	≥ 6	≥ 6	≥ 6
-	-	PUR+	PUR+	PUR+	PUR+
EN ISO 26987 [EN 423]	-	OK	OK	OK	OK
ISO 16000-6	µg/m <sup>3</sup>	< 100	< 100	< 100	< 100
-	-	-	Floorscore™	-	-
EN 14041	-				
	-				

**ASIA:** Gerflor Asia  
Tel: +852 9222 6355 - Fax: +852 3006 1449  
e-mail: gerflorasiasia@gerflor.com

**AUSTRALIA/NEW ZEALAND:** Gerflor Australasia Pty. Ltd  
Australia Tel: 1 800 060 785 - New Zealand Tel: 0 800 630 119  
e-mail: gerflor@gerflor.com.au

**AUSTRIA/SWITZERLAND:** Gerflor GmbH  
Tel: +43 (0)7229/70800-0 - Fax: +43 (0)7229/70800-218  
e-mail: austria@gerflor.com - switzerland@gerflor.com

**BELGIUM/LUXEMBURG:** Gerflor Benelux  
Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14  
e-mail: gerflorbel@gerflor.com

**CANADA:** Gerflor International  
Tel: +1 438 333 0752 - Fax: +1 438 380 5425  
e-mail: gerflorcanada@gerflor.com

**CHINA:** Gerflor Floorings (China) Co. Ltd.  
Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998  
e-mail: gerflorchina@gerflor.com

**FINLAND:** Gerflor Oy  
Tel: +358 (0) 10 617 5150 - Fax: +358 (0) 10 617 5152  
e-mail: info@gerflor.fi

**FRANCE:** Gerflor - Service Express:  
**N°Azur 0 810 569 569** **N°Azur FAX 0 810 569 570**  
PRIX APPEL LOCAL PRIX APPEL LOCAL

e-mail: contactfrance@gerflor.com

**GERMANY:** Gerflor Mipolam GmbH  
Tel: +49 (0) 22 41-25 30-0 - e-mail: GerflorMipolam@Gerflor.com  
Kunden-Service: kundenservice@gerflor.com  
Tel: +49 (0) 22 41-25 30-136 - Fax: +49 (0) 22 41-25 30-100  
SAT Service und Anwendungstechnik: Technik@Gerflor.com  
Tel: +49 (0) 22 41-25 30-555 - Fax: +49 (0) 22 41-25 30-550

**IRELAND:** Gerflor Ltd  
Tel: +353 (0) 42 96 61431 - Fax: +353 (0) 42 96 61759  
e-mail: gerflorirl@gerflor.com

**ITALY:** Gerflor S.p.A.  
Tel +39 02 90 40 10 - Fax +39 02 90 42 74 84  
e-mail: gerfloritalia@gerflor.com

**LATIN AMERICA (Brazil):** Gerflor América Latina  
Tel: +55 11 38 48 20 20 - Fax: +55 11 38 48 20 23  
e-mail: gerflor@gerflor.com.br

**MIDDLE EAST:** Gerflor Middle East  
Tel: +966 3 847 1779 - Fax: +966 3 847 1781  
e-mail: gerflorME@gerflor.com

**NETHERLANDS:** Gerflor Benelux  
Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89  
e-mail: gerflornl@gerflor.com

**OTHER COUNTRIES:** Gerflor International  
Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13  
e-mail: gerflorcontract@gerflor.com

**POLAND:** Gerflor Polska Sp z o.o  
Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33  
e-mail: info@gerflor.pl

**PORTUGAL:** Gerflor Iberia, SA  
Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44  
e-mail: gerflorportugal@gerflor.com

**RUSSIA:** Gerflor zao  
Tel / Fax: +7 495 785-23-71  
e-mail: gerflorussia@gerflor.ru

**SCANDINAVIA:** Gerflor Scandinavia a.s.  
Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80  
e-mail: gerflorscand@gerflor.no


**SPAIN:** Gerflor Iberia, SA  
Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85  
e-mail: gerfloriberia@gerflor.com

**UNITED KINGDOM:** Gerflor Ltd  
Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647  
e-mail: contractuk@gerflor.com

**USA:** Gerflor North America  
Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753  
e-mail: info@gerflorusa.com

gerflor.com

ARCHITECTURE  
DECORATION  
SPORT  
TECHNOSPECIFIC



\*Wear layer (mm) / Couche d'usure (mm) / Nutzschrift (mm)



interiordesigner.gerflor.com



**Gerflor**  
theflooringgroup