

# Loft Life Grand

FOREVER CLEAN™

QUALITY REF: UU3



# FOREVER CLEAN



# Loft Life Sweet

FOREVER CLEAN™

QUALITY REF: UU2



# FOREVER CLEAN



# Loft Life Pure

FOREVER CLEAN™

QUALITY REF: UU1



# FOREVER CLEAN




# Loft Life

FOREVER CLEAN™

LOFT LIFE

Colour ranges available in Loft Life Pure, Sweet and Grand:



# FOREVER CLEAN



UU2.0840




UU2.0810



UU2.0410



UU2.0260



UU2.0780



UU2.0430



Finishing style PURE



### Finishing style PURE

---

With Pure, carpet edges are turned over and the rug is backed with a non-slip and moisture-resistant underlay, suitable for use with underfloor heating.

These carpets can also be commissioned in beautiful bespoke-size area rugs, with two finishing styles in Pure and Elegance.

Finishing style ELEGANCE




























































### Finishing style ELEGANCE

---

In Elegance, edges are finished with colour-matched ribbon and again a non-slip and moisture-resistant underlay. The ribbon of Elegance is narrow for a 'barely there' look that's instantly luxurious.

**TECHNICAL FEATURES • CARACTÉRISTIQUES TECHNIQUES • TECHNISCHE DATEN • TECHNISCHE GEGEVENS • SPECIFICHE**

		CELESTE	LIOR	LOFT LIFE	BOHEME	INCASA
<b>Pile composition</b> Nature du velours • Polmaterial Poolsamenstelling • Composizione felpa		Triexta SmartStrand 			Triexta SmartStrand 	
<b>Manufacturing process</b> Technique de fabrication • Herstellungsart Fabricagemethode • Tecnica di fabbricazione	Tufted	5/64" saxony	5/64" twist	1/10" cut loop	1/8" twist	1/8" twist
<b>Secondary Backing</b> Envers • Rücken Rugtype • Sottofondo		SB	SB	SB	SB	SMB
<b>Pile weight/sqm</b> Poids mis en oeuvre/m <sup>2</sup> • Poleinsatzgewicht/m <sup>2</sup> Poolinzetgewicht/m <sup>2</sup> • Peso felpa/mq	± gr	1.815	1.410	1.280	2.200	1.395
<b>Total weight/sqm</b> Poids total/m <sup>2</sup> • Gesamtgewicht/m <sup>2</sup> Totaal gewicht/m <sup>2</sup> • Peso totale/mq	± gr	2.790	2.380	2.250	3.170	2.360
<b>Effective pile height</b> Hauteur de velours utile • Tatsächliche Florhöhe Nuttige poolhoogte • Spessore felpa	± mm	10,0	7,0	6,0	13,0	7,5
<b>Total height</b> Hauteur totale • Gesamthöhe Totale dikte • Spessore totale	± mm	12,0	9,0	8,0	15,0	10,0
<b>Width</b> Largeur • Breite Breedte • Altezza	± cm	400-500	400-500	400	400-500	400-500
<b>Number of knots/sqm</b> Nombre de points/m <sup>2</sup> • Noppenzahl/m <sup>2</sup> Aantal noppen/m <sup>2</sup> • Numero di punti/mq	±	226.800	257.040	236.400	126.000	119.700
<b>EN 13501-1 Fire behaviour</b> Comportement au feu • Brennverhalten Brandgedrag • Reazione al fuoco		C <sub>fl</sub> -s1	C <sub>fl</sub> -s1	C <sub>fl</sub> -s1	C <sub>fl</sub> -s1	C <sub>fl</sub> -s1
<b>EN 1307 Classification</b> Classification • Klassifizierung Classificatie • Classificazione						
<b>Luxury Class</b> Classe de confort • Komfortwert Luxury Class • Luxury Class						
<b>ISO 140/8 Impact sound insulation</b> Isolation aux bruits d'impact • Trittschallverbesserungsmass Contactgeluidsisolatie • Miglioramento acustico	± dB	25	25	25	25	25
<b>DIN 52612 Thermal retention</b> Résistivité thermique • Wärmedurchlasswiderstand Warmtedoorlaatweerstand • Resistenza termica	± m <sup>2</sup> /kW	0,15	0,1	0,09	0,175	0,12
<b>Underfloor heating suitable</b> Convient au chauffage par le sol • Fussbodenheizung geeignet Geschikt voor vloerverwarming • Compatibile con riscaldamento a pavimento						
<b>Suitable for use on stairs</b> Usage escaliers • Treppeneignung Geschikt voor trappen • Utilizzabile sulle scale						
<b>ISO 6356 Teil2: Permanently antistatic</b> Antistatique permanent • Permanent antistatisch Permanent antistatisch • Antistatico permanente	< kV	2	2	2	2	2
<b>ISO 105 B02 Lightfastness</b> Solidité à la lumière • Lichtechtheit Lichtechtheid • Solidità colori alla luce	≥	5	5	5	5	5
<b>Slip resistance</b> Propriétés antidérapantes • Rutschhemmstufe Slipweerstand • Resistenza allo scivolamento						

DREAM	LOUNGE	MOON	PATINA	ROMANCE	VALENTINE
Triexta SmartStrand					
1/10" saxony	1/10" twist	1/4" loop pile	1/10" twist	1/10" twist	1/10" twist
SB	SB	SB	SMB	SB	SB
1.300	1.490	1.540	1.235	1.860	1.375
2.290	2.480	2.620	2.200	2.850	2.340
7,0	7,5	4,8	8,0	9,5	8,0
9,5	10,0	7,5	10,0	11,5	10,0
400-500	400-500	400-500	400-500	400-500	400-500
173.360	173.360	58.090	153.660	189.120	145.780
C <sub>ff</sub> -s1	C <sub>ff</sub> -s1	C <sub>ff</sub> -s1	C <sub>ff</sub> -s1	C <sub>ff</sub> -s1	C <sub>ff</sub> -s1
					
					
26	29	25	25	29	25
0,118	0,147	0,075	0,125	0,162	0,12
					
					
2	2	2	2	2	2
5-6	5-6	5	5	5	5
					

FOREVER CLEAN

SmartStrand<sup>®</sup>

FOREVER CLEAN™

