

Regupol tartan®

Athletics Tracks

Proven by
champions of
today and
tomorrow



"I love **Regupol**® tracks. They are fast, they feel the same everywhere on the track and they have no joints." World champion Usain Bolt shown on his **Regupol**® AG track in Jamaica.



Berlin's "Blue Wonder": **Regupol®** at Berlin's Olympic Stadium (above).
Regupol® AG at the National Stadium in Kingston, Jamaica (left),
Regupol® AG at the Bernardo Werner Stadium in Blumenau, Brazil (right).

Experience, Diversity, Specialisation

Top sporting achievements need top equipment. **Regupol tartan®** tracks maintain a top position among synthetic floors which are of prime importance for many of the world's athletes. They are manufactured in accordance with IAAF quality criteria and in line with DIN V 18035-6 directives for synthetic surfaces in outdoor sports grounds. **Regupol®** athletics tracks are suitable for both international professional sports as well as for school and popular sports. Their material composition was developed in accordance with physical sports requirements and incorporates a balance between speed, non-slip qualities and shock absorption exactly rated to the physical constitution of athletes.

Regupol tartan® tracks can be modified in many respects, depending on the requirements. Surface properties, elasticity, colour schemes, thickness and density can be varied as required. Each **Regupol®** athletics track is unique as they are each custom-made. During the planning periods, our BSW consultants clarify the specific properties required for the particular athletics track.

The specific project modifications are developed in accordance with the following criteria:

Performance Level

Professional competition, amateur competition, school and popular sports

Focal Use

Competition or training

Specific Disciplines

Sprint, long-distance running, long jump, high jump, etc.

Design Variations

Base colour, coloured sections, surface structure

National/Regional Aspects, Special Customer Requirements

Varying surface structures, different structural heights, variable levels of elasticity, sub-base properties



Certified to international guidelines issued by the IAAF (International Association of Athletics Federations).




Member of IAKS and SAPCA.

Customised production of elastic layers in sports flooring systems:

Regupol®, **Recoflex®** and **Variofoam®** are used as system components of sports flooring systems by renowned suppliers and contractors all over the world.

More details at:

Customer
Solutions
Center

Regupol[®] AG

International Association of Athletics Federations

Product Certificate

The IAAF is pleased to certify hereby that the following product:

Product's Trade Name: Synthetic surface, Regupol[®] AG

Description, Colour / Absolute Thickness: Sandwich, 14.0mm

Company Name, Country: Berteburger Schaumstoffwerk GmbH (BSW), GER

Catalogue Number: -

IAAF Certification Number: S-99-0010

has been tested and meets the technical requirements for use in all international athletics competitions.

Test Report: N° 8663, January 2016, IST (SUI)

Valid from: 1 January 2016

Until the last day of: January 2020

This certificate is issued in accordance with the terms and conditions of the IAAF Certification System of track and field facilities, implements and competition equipment.


SEBASTIAN COE
IAAF President


JORGE SALCEDO
IAAF Technical Committee Chairman



Regupol[®] AG installed in Erfurt and in Göttingen, both Germany (above and below), and in Urumqi, China (centre).

Regupol® AG

Regupol® AG is one of BSW's most frequently installed track surfaces and meets the highest professional demands. **Regupol® AG** can be found in sports stadiums all over the world. The base mat of **Regupol® AG** consists of prefabricated rolls and is permanently bonded to the sub-base in situ with a special PUR adhesive. The EPDM granules of the wear layer are embedded into the liquid polyurethane layer to achieve a seamless sports surface. As a main advantage it must be pointed out that the prefabricated elastic layer is produced in accordance with strict quality specifications resulting in an extremely homogeneous surface with exactly the same thickness and the same physical properties all over. In addition, installation is a quick and low-cost procedure.



Material Composition

The wear layer is composed of mixed-size, spike-resistant EPDM granules embedded into liquid polyurethane. The elastic layer consists of prefabricated **Regupol®** rolls made from PUR-bonded rubber granules.

Type of installation

Surface type D according to EN 14877 : 2013-12

Sub-Base

Asphalt or concrete

Thickness

Standard offer: wear layer 3 mm, elastic layer 10 mm;
other thicknesses upon request

Weather Resistance


UV-resistant, durable even in extreme heat, cold and moisture

Colours

Red, Green, Blue; other colours upon request

Performance Level

International professional competition, amateur competition,
school and popular sports



1 Asphalt layer on gravel bed • 2 PUR adhesive • 3 **Regupol®** elastic layer, prefabricated • 4 Sealed pores of the **Regupol®** elastic layer • 5 Cast layer made of PUR • 6 Wear layer made of EPDM granules

Regupol® AG IS

Regupol® AG IS is a variation of our **Regupol® AG** consisting of the same typical wear layer with EPDM granules embedded into liquid polyurethane. In contrast to **Regupol® AG** the elastic layer is cast in situ.

Regupol® fastrack AG

Regupol® fastrack AG consists of the same components as **Regupol® AG** but is installed on the old existing track without this having to be removed first, thus saving both time and money.

Regupol® sPORTTrack for Indoor Athletics

Product
innovation

BSW's newest innovation in athletic flooring is called **Regupol® sPORTTrack**. It is a revolutionary development and has been specifically designed for athletic indoor events. The system originates from the collaborative development work between BSW and a world-leading German wood floor manufacturer. **Regupol® athletic surfaces** have proven themselves in countless stadia around the world and in most prestigious events like Olympic Games, the IAAF World Cup and the World Championships in athletics. Excellent physical characteristics are the key to success for all athletes. Multilayered wood panels of 2,14 m x 1,07 m are the foundation for the innovative athletic surface. **Regupol® sPORTTrack** is prefabricated in the factory prior to the event. The modules are then stacked in special transport crates and shipped to site. The patented connecting system guarantees quick, easy and safe assembling and dismantling within hours by layman staff.



The athletic flooring system was first used at the 2015 Malmö Games in Sweden and has proven itself in use by high ranking international athletes. Event organizers and athletes were delighted by the quality of **Regupol® sPORTTrack** and the service by BSW.

Material

The wearing layer of high quality EPDM and PU is spike resistant. The elastic layer consists of a factory prefabricated **Regupol®** mat made from PUR – bonded rubber fibers. The base is a fabricated, stabilized panel of laminated wood with a special connecting system.

Type of installation

Surface type D according to EN 14877 : 2013-12

Sub surface

Asphalt, concrete, screed, sports floors, any stable and leveled surface

Thickness


Standard: 24 mm wood panel, 10 mm **Regupol®** base mat, 3 mm wear layer

Colours

Red, Green, Blue, Grey; other colours upon request

Performance level

International competition, all athletic events, training



1 Sub surface (e.g. screed) • 2 Wood panel • 3 Adhesive layer
4 **Regupol®** base mat • 5 PU pore sealer • 6 Self levelling PU layer (wear coat) • 7 EPDM granules (wear coat)

Regupol® AG for Indoor Athletic Tracks

Regupol® AG for Indoor Athletic Tracks for indoor athletic events is a complete floor system for indoor use. It consists of a complete, load-bearing track construction with raised bends, which is positioned on top of the existing hall floor. The upper layer is the tried-and-tested **Regupol® AG** tartan track. The load-bearing floor construction was designed by the BSW cooperation partner Kanstet OÜ in Estonia.

Regupol® AG for Indoor Athletic Tracks has the dimensions of a 200-metre running track. The floor system is suitable for competitions and meets the IAAF requirements for international competitions.



The system is extremely hard-wearing, providing athletes with the highest level of comfort. Despite being a complex load-bearing construction, the system can be installed according to a fixed time schedule.

The construction can be permanently installed in a hall or be used as a temporary installation, easily and rapidly disassembled after the event. The disassembled construction can later be reinstalled in the same hall or elsewhere.

This floor system can be used to equip halls otherwise not suitable for athletic events with a perfect indoor athletics surface within a relatively short space of time.

- All facilities for jumping events, including sand pits, form an integral part of the floor construction.
- The construction also includes the sports surface enclosed by the running track. This, too, is supported by a removable load-bearing construction and equipped with the **Regupol® AG** athletic track surface.
- The floor construction is positioned on adjustable support pillars to balance out any unevenness in the floor of the hall.
- The floor on which the **Regupol®** tartan track is positioned consists of solid composite wood panels and forms a stable, strong and even surface.
- The **Regupol® AG** upper layer can be very rapidly installed, as the major components are made of pre-manufactured materials. This greatly facilitates the installation of the raised bends in particular.



The 2013 European Athletics Indoor Championship in Göteborg, held on **Regupol® AG**

Regupol® compact



International Association of Athletics Federations

Product Certificate

The IAAF is pleased to certify hereby that the following product:

Product's Trade Name: Synthetic surface, Regupol® Compact

Description, Colour / Absolute Thickness: Full PUR, 14.5mm

Company Name, Country: Berleburger Schaumstoffwerk GmbH (BSW), GER

Catalogue Number: -

IAAF Certification Number: S-99-0011

has been tested and meets the technical requirements for use in all international athletics competitions.

Test Report: N° 8712, 28 March 2016, IST (SUI)

Valid from: 1 April 2016

Until the last day of: April 2020

This certificate is issued in accordance with the terms and conditions of the IAAF Certification System of track and field facilities, implements and competition equipment.

SEBASTIAN COE
IAAF President

JORGE SALCEDO
IAAF Technical Committee Chairman

IAAF
CERTIFIED PRODUCT

Regupol® compact in Busan, South Korea; Kuala Lumpur; and Johannesburg.

Regupol® compact

Regupol® compact stands out with its immense resilience under intensive use for both competitions as well as training sessions. **Regupol® compact** consists of polyurethane that is cast in situ with specially rated rubber granules to optimise shock absorption. The wear layer is identical to that of **Regupol® AG** and just as spike-resistant. **Regupol® compact** is installed in sports stadiums pursuant to the requirements of the IAAF.



Material Composition

The wear layer is composed of mixed-size, spike-resistant EPDM granules embedded into liquid polyurethane. The base layer consists of in situ cast PUR layers with rubber and/or EPDM granules.

Type of installation

Surface type D according to EN 14877 : 2013-12

Sub-Base

Asphalt or concrete

Thickness

Standard offer: wear layer 3 mm, base layer in 10 mm;
other thicknesses upon request

Weather Resistance


UV-resistant, durable even in extreme heat, cold and moisture

Colours

Red, Green, Blue; other colours upon request

Performance Level

International professional competition, amateur competition,
school and popular sports



1 Asphalt layer on gravel bed • 2 Sealed asphalt layer • 3 1st PUR cast layer with rubber granules • 4 2nd PUR cast layer with rubber granules • 5 Cast layer made of PUR • 6 Wear layer made of EPDM granules

Regupol® PD



International Association of Athletics Federations

Product Certificate

The IAAF is pleased to certify hereby that the following product:

Product's Trade Name: Synthetic surface, Regupol® PD-U

Description, Colour / Absolute Thickness: Prefabricated/spray coat, 13.3mm

Company Name, Country: Berleburger Schaumstoffwerk GmbH (BSW), GER

Catalogue Number: -

IAAF Certification Number: S-08-0087

has been tested and meets the technical requirements for use in all international athletics competitions.

Test Report: No. 8913, September 2017, IST [SUI]

Valid from: 1 October 2017

Until the last day of: October 2021

This certificate is issued in accordance with the terms and conditions of the IAAF Certification System of track and field facilities, implements and competition equipment.


SEBASTIAN COE
IAAF President


JORGE SALCEDO
IAAF Technical Committee Chairman



Regupol® PD

Regupol® PD possesses the same special spray coating as **Regupol® PD IS**. The spray coating is applied on top of the prefabricated homogenous **Regupol®** elastic layer and creates extremely homogeneous shock absorption. **Regupol® PD** is also the waterproof alternative to **Regupol® PD IS** and is suitable for both ambitious amateur competitions as well as for school and popular sports.



Material Composition

The wear layer consists of mixed-size, spike-resistant, PUR-bonded EPDM granules. The base layer consists of prefabricated **Regupol®** rolls made from PUR-bonded rubber granules.

Type of installation

Surface type D according to EN 14877 : 2013-12

Sub-Base

Asphalt or concrete

Thickness

Standard offer: 13 mm; other thicknesses on request

Weather Resistance


UV-resistant, durable even in extreme heat, cold and moisture

Colours

Red, Green; other colours upon request

Performance Level

School and popular sports, and ambitious amateur competitions



1 Asphalt or concrete layer on gravel bed • 2 Adhesive • 3 **Regupol®** elastic layer • 4 Sealed pores of the **Regupol®** elastic layer • 5 PUR-EPDM wear layer

Regupol® PD IS

Regupol® PD IS is installed in-situ and completed with a special PUR coating. In contrast to conventional wear layers (mostly based on EPDM granules), the PUR coating accelerates the installation process, helps to cut costs and calls for less workloads. **Regupol® PD IS** is popular for facilities focused on club and school sports. However, its elasticity and sure-footedness also satisfy the demands made by experienced runners so that **Regupol® PD IS** also becomes a popular track for nationwide competitions.

Regupol® AGM Long-distance Track Surfacing

The track surface **Regupol® AGM** was specially developed as a training surface for long- and middle-distance runners. This surface has a clearly softer elasticity than other conventional synthetic track surfaces. The relatively high force absorption takes the strain off the musculoskeletal system of the athlete, preventing training-related injuries, pain and wear and tear. The elasticity of the floor also counteracts symptoms of fatigue that occur during long hours of training. The wearing layer of the surface is identical to the well-known **Regupol® AG** athletic track surface.



Material

Wearing layer made of polyurethane with interspersed EPDM granulate, spike-resistant. Base layer consisting of extra-elastic, pre-manufactured **Regupol®** courses made from PUR-bonded rubber granules.

Type of installation

Surface type D according to EN 14877 : 2013-12

Substructure

Asphalt, concrete and others on request

Thickness

Standard: 3 mm wearing layer, 10 mm base layer, other thicknesses available.

Weather conditions


UV-resistant, long service life, even under extremely hot, cold or wet conditions.

Colours

Red, Green, Beige and various shades of Blue; other colours upon request

Performance Level

Training surface for professional middle- and long-distance runners. Amateur sports, school sports and public sports facilities.



1 Asphalt layer on sub-ballast • 2 Application of adhesive • 3 Coating of the prefabricated base mat • 4 Closing of the pores of the base mat • 5 Application of liquid PUR coating • 6 Wearing Surface consisting of EPDM granules

Regupol® AG RC

Numerous older synthetic tracks are in the need of replacement. The **Regupol® AG RC** retopping product entails installing a new layer on the existing synthetic surface without removing the old elastic layer. At first it will be necessary to sand down and clean the wear layer of the existing surface. Afterwards the special PUR primer must be applied with subsequent installation of a self-levelling, seamless PUR coating into which the coloured EPDM granules are then embedded.

Finally, the tartan track will look like new again, at a price well below the cost of purchasing a complete track.

Preliminary tests show whether the existing surface is suitable for retopping. Among others, tensile strength and shock absorption have to meet the requirements. **Regupol® AG RC** can be easily installed on the worn synthetic tracks of various manufacturers.

Regupol® AG RC offers the possibility to dispense with the lengthy, expensive construction of a new athletics track.

Material Composition

The wear layer is composed of mixed-size, spike-resistant EPDM granules embedded into liquid polyurethane. The already existing track forms the elastic layer.

Sub-Base

Asphalt or concrete

Thickness

Subject to existing elastic layer

Weather Resistance


UV-resistant wear layer; durable even in extreme heat, cold and moisture

Colours

Red, Beige, Sky Blue, Blue, Dove Blue, Slate Grey, Light Grey, May Green, other colours upon request

Performance Level

Amateur competitions, school and popular sports, regional competitions



The **Regupol® AG RC** wear layer installed on an older, existing elastic layer of another manufacturer.



Regupol® AG RC was installed at Hanover's intensive training centre where both advanced training and competitions take place.

Regupol® Rolldown Runway

Regupol® Rolldown Runway is a slip-resistant and resilient surface for individual runways and short sprint lanes. It is laid onto existing surfaces or runways consisting of cinder or clay, as a cost-effective alternative to conventional track surfacing installations. It offers the same resilience, uniformity, and nearly identical physical properties. **Regupol® Rolldown Runway** is rolled out on site and accurately put in place manually. Due to its weight, the rolls lay flat. There is also the option of permanently bonding **Regupol® Rolldown Runway** onto an engineered sub base such as asphalt or concrete.

Material Composition

Fully prefabricated **Regupol®** roll material made from PUR bonded crumb rubber and rubber granules.

Type of installation

Prefabricated rolls must be rolled out. The material is subject to a certain co-efficient of shrinkage and/or expansion when loose laid and particularly under outdoor conditions so **Regupol® Rolldown Runway** is typically not installed side-by-side but as a single runway equal to the width of one roll. **Regupol® Rolldown Runway** can also be fully bonded to an engineered sub base such as asphalt or concrete.

Sub-Base

Existing track and other existing synthetic sports surfaces, cinder tracks, asphalt or concrete.

Dimensions

Roll-width: 1,250 mm, Roll-lengths are variable between 20 and 50 linear meters.

Standard thickness: 10 mm and 12 mm, other thicknesses on special request.

Properties

UV-resistant, durable under all weather conditions, water-permeable when loose laid, spike resistant in 12 mm thickness.

Colour

Black

Performance Level

Training at school and club level



Regupol® Rolldown Runway offers an ideal surface for running even if laid on worn sub-bases.



Regupol® Rolldown Runway can easily be rolled out and taken up as required. The rolls can also permanently be glued onto a bound sub-base.



Regupol® Rolldown Runway, single-layer roll

Support and Services

Construction procedure of an athletics surface entails extensive, protracted planning and organisational activities. Athletics facilities are highly specialised structures where not every planner and architect is necessarily familiar with the requisite tasks involved in building construction. BSW bridges the resulting information gap by providing investors, planners and operators of sports facilities with all necessary information and numerous additional services, from preliminary planning via building construction of the sports surface through to its subsequent maintenance.

Planning Aids

Our website www.berleburger.com provides all our technical details, tender texts and references.

Complete Installation

BSW produces the complete athletics track, starting with the sub-base, via the structural layer through to applying the lines after completion.

All Accessories


Track edge markings, take-off boards, pole-vault boxes, hurdles, starting blocks, bars and landing mats, etc. are of course also included in our range, as well as including professional installation.

Retopping and Refurbishment

BSW refurbishes your athletics track, regardless of whether it need simple retopping, repairs of individual sections or complete new installation.

Flooring Designer

With the BSW flooring designer, you can insert all the colors available in ready-standing floor plan drawings of athletics facilities and so visualize your design ideas.



Regupol® Elastic Layer in Rolls




First, the **Regupol®** elastic layer is glued on the asphalt (photos 1 and 2). Afterwards the pores of the elastic layer are sealed with polyurethane and the liquid polyurethane is applied as wear layer (photo 3). Finally, EPDM granules are embedded into the liquid polyurethane layer to form the actual surface (photo 4). When the surface has been completed, the linings can be applied (photo 5).

Regupol® Elastic Layer in Rolls

As well as offering the various surface types pursuant to DIN V 18035-6:2014, **Regupol tartan®** athletics tracks stand out with their special elastic layer. **Regupol®** elastic layers are only produced in our own factory. They are supplied in rolls.

Regupol® elastic layers set up the base for our **Regupol® AG**, **AGM for long-distance running**, **AG for portable indoor tracks** and **Regupol® PD** tracks. BSW thus produces tracks with above average homogeneous shock absorption values, material thicknesses and densities. The **Regupol® AG** and **PD** tracks are IAAF-certified, fulfilling the strictest sporting requirements. By contrast, the **Regupol® compact** track which is also IAAF-certified is produced completely in situ.

The **Regupol®** elastic layers are BSW's speciality. This absolutely top-quality elastic layer can only be found in tracks made by the BSW Group. Prefabricated elastic rolls are produced in accordance to strict quality specifications and are supplied unrolled and fixed in situ. The special material composition ensures widespread uniform shock absorption. **Regupol®** elastic rolls for athletics tracks are an absolutely top-quality component whose homogeneity is far superior to conventional in-situ installations.



Advantages	Homogeneous shock absorption tested in the factory, homogeneous layer thickness, homogeneous material density
Material	Elastic rolls made of polyurethane-bonded pure-grade rubber granules
Installation	The Regupol® rolls are laid, adjusted and fixed; after laying the rolls, the seamless wear layer is applied
Tracks	Regupol® AG , AGM long distance track surfacing, AG for portable indoor tracks, PD

Customised production of elastic layers in sports flooring systems:

Regupol®, **Recoflex®** and **Variofoam®** are used as system components of sports flooring systems by renowned suppliers and contractors all over the world.

More details at:


Customer
Solutions
Center

Colours – Application and Decoration


Regupol tartan® tracks are supplied as standard in eight different colours. Please note that our full range of 26 colours is only available for larger orders. To find out more about our BSW Design Center, turn to page D1.



Slate Grey




Sky Blue



Berlin Blue




Light Grey




Dove Blue



May Green



Beige



Red




The BSW Design Center creates individual design variations to customers' specifications.

More details at:

D1
Design Center
EPDM Colours





Indoor tracks are gaining more and more importance, especially in colder regions. **Regupol® AG** in the Olympic sports complex in Moscow, venue of the IAAF World Indoor Championships in Athletics 2006 (above) and in the Scandinavium in Gothenburg, venue of the IAAF World Indoor Championships in Athletics 2013 (below) and at the intensive training centre in Hanover (previous page centre).

Usain Bolt on Regupol tartan®

Usain Bolt, the world-famous sprinter, advertises for **Regupol®** athletics tracks. Since his fantastic world records for 100 and 200 metres on the **Regupol tartan®** track at Berlin's Olympic Stadium, he believes devoutly in **Regupol®**:

"I love **Regupol tartan®** tracks. They are fast, they feel the same everywhere on the track and they have no joints."

And so immediately after he achieved his world records, his coach and manager got together with BSW, developing the idea for a training track for Usain Bolt and the other Jamaican runners. No sooner said than done.

On 30 April 2010, the **Regupol tartan®** track was officially inaugurated on the premises of the University of the West Indies in Kingston. At Usain Bolt's request, the track was produced in the same blue as in Berlin.

Henceforth the Jamaican runners will profit from ideal training conditions.

In October 2014, the contract with Bolt was extended by two years until 2016, and he is still as enthusiastic about his blue running track as ever. Bolt describes the **Regupol® AG** running track as "spine-tingling". For over four years now, daily training has taken place on the tartan track, and none of the top athletes have yet injured themselves on it. Also, extreme external conditions cannot damage the running track. Repairs and improvements, that are required due to the high load, are carried out by BSW fitters.

"My **Regupol®** track at UWI has been sizzling. The improved performances by each athlete shows the work being done on the track..."

"This track has allowed us to do all the speed training required to perform on the big day..."

"The track recently showed some wear in the start and other high stress areas. Well, we really chew it up with our spike shoes. A **Regupol®** - technician fixed it within a couple of days. The repaired areas do perform like the rest of the track. This product is great."

"I am doing my daily training on the **Regupol®** track for over 4 years now and it feels like it's brand new."

In September 2016, the contract with Bolt was extended by two years until 2018.



UWI Track, Jamaica

The University of the West Indies (UWI) training facility, used by Usain Bolt and other Jamaican runners, received a new **Regupol tartan®** track in April 2010, with the same surface as the **Regupol®** track at Berlin's Olympic Stadium.

BSW received all conceivable assistance from the University. Even so, Jamaica is a poor country, and certain logistics and organisational difficulties had to be overcome. But in the end, the track was installed perfectly – just in time before the rainy season began.

Two years later, at the Olympic Games in London, it was revealed that the new **Regupol tartan®** track contributes to the fine performance of Jamaica's athletes.

After Jamaica dominates the sprint disciplines at the London 2012 Olympics again, with Gold and Silver for Usain Bolt and Yohan Blake in the 100 m, Gold, Silver and Bronze for Bolt, Blake and Warren Weir in the 200 m and the Gold Medal with a new World Record for the Jamaican 4 x 100 m relay team (Nesta Carter, Michael Frater, Yohan Blake and Usain Bolt), **legendary Coach Glen Mills** made the following statement on Sunday, August 12, 2012, the last day of the Olympic Games:

"The Regupol® track at our training- and performance center at UWI Mona has definitely contributed to the fine performance of our athletes in London."

Bolt, Blake and all members of my "Racers Track Club" do enjoy their daily training on the Regupol® AG-track. The surface performs great and is most consistent! I am getting zero complaints from any of our athletes and what is even more important, we have not had any injuries ever since we do our training on the Regupol® track! Training conditions could not be better!"

I can highly recommend the use of Regupol® surfaces for training and competition to any coach in the world!"

The "Racers Track Club" could replicate its success at the Olympic Games in Rio de Janeiro 2016. Usain Bolt defended his 100 metre and 200 metre titles and Jamaica's team won the 4x100 m relay final.



Export director Peter Breuer is talking to Usain Bolt about the new **Regupol tartan®** track (above). The elastic layer of **Regupol® AG** was prefabricated by BSW in Germany, and later installed in situ in Jamaica (centre), Coach Glen Mills (below).



More at
berleburger.
com




Regupol® AG IS in Paderborn, Germany (above) and at the stadium in Ohrdruf, Germany (left). Regupol® AG at the training facility in E.C. Pinheiros, Sao Paulo (right).



The innovative sports flooring system **Regupol® sPORTTrack** was installed first for the Malmö Games 2015 in Sweden.



Regupol® AG at Willie Davis Stadium in South America (above), at UWI Cave Hill Campus in Barbados (centre) and in Stadium Utama Kabupaten in Indonesia (below).



BSW
Berleburger Schaumstoffwerk GmbH
Am Hilgenacker 24
57319 Bad Berleburg
Germany

Phone +49 2751 803-0
info@berleburger.de
www.berleburger.com

www.regupol-sportssurfaces.com

