

Quick**MAT**

romusworld.com



THE QUICKEST SOLUTION FOR ALL ENTRANCES

ROMUS[®]

COLLECTION

Quick**MAT**

THE QUICKEST SOLUTION FOR ALL ENTRANCES



OBJECTIVE

Protecting people, protecting buildings : entrance mats are essential for new and renovated buildings. ROMUS primary mats are designed especially to prevent dirt and moisture penetrating into buildings, in order to stop premature wear of the floor covering, limiting maintenance costs and avoiding falls.



UNIQUE SERVICE

Because service is as equally important as quality, **Quickmat** is the only entrance mat available immediately, without leadtime, in rolls, cut to length or in tiles.

An easy product thanks to the on site cutting : no risk !



EXPERTISE

Supported by the expertise acquired over 50 years in the sector of building finishes, we have developed a new primary entrance mat concept. **Quickmat** consists of different types of inserts, namely scraping and absorbing inserts, and feature a dirt collecting system. This product can be shaped to size on site.



THE 3 DIRT-RESISTANT BARRIERS

In places where footfall is heavy and for effective dust retention, consideration must be given to dividing the entrance hall into 3 Zones, with 3 barriers, each Zone having a very precise role.

ZONE 1

Outdoor, retains, gravel, earth, mud and coarse dirt.
35-40% of dirt and moisture removed after 1.5 metres.

ZONE 2

Indoor in recess, retains the finest dirt and moisture is absorbed by the inserts.
70% of dirt and moisture removed after 3-3.5 metres.

ZONE 3


Indoor on the floor, washable mats absorb the remaining wet dirt.
90% of dirt is removed after 4.5 to 5 metres.

> **QUICKMAT RANGE** IS SPECIFIED FOR ZONE 1 AND 2.

YOUR APPLICATION

SEGMENT	SUBSEGMENT
ALL SEGMENTS	ALL SUBSEGMENTS
EDUCATION	Schools / universities
	Culture
	Kinder Garden
HEALTHCARE	Hospital
	Clinic
HOUSING	Social Housing
	Private Housing
	Collective Housing
RETAIL	Supermarket
	Do it Yourself - NFSS
	High Street Chain Store
	Commercial Agency
HOSPITALITY	Hotel
	Restaurant
	Leisure
INDUSTRY	Life Sciences
	High Technology
	Manufacturing
OFFICES	Offices (private)
	Administration (public)
SPORT	Multi purpose hall
	Fitness
PUBLIC BUILDINGS	Airports
	Train stations
	Army / Police
EXHIBITIONS	One time events

SOME FACTS...



QUICKMAT* INSTALLED IN A SHOPPING CENTRE,
HAS BEEN WALKED ON BY MORE THAN

74.6 MILLION

PEOPLE IN 4 YEARS!

*Quick Star

AN ENTRANCE MAT CAN REDUCE MOISTURE AND
DIRT ORIGINATING FROM OUTSIDE BY UP TO **90%**.




FALLS ON A LEVEL FLOOR ARE ONE OF THE MAIN CAUSE OF ACCIDENTS AT WORK

Protecting People, protecting buildings : installing an entrance mat limits the risk of falls and injury and protects the building.

YOUR NEED			
AREA	KEY POINTS	PEDESTRIAN TRAFFIC	WHEELED TRAFFIC
Outdoor	Scraping and draining	High	Trolley
Indoor	High traffic	High	Trolley
Indoor	Perfect design	Medium	
Indoor	All purpose	Medium	
Indoor	High traffic	High	Trolley
Indoor	High traffic	High	Trolley
Indoor	Entry level	Medium	
Indoor	Entry level	Low	
Indoor	All purpose	Medium	
Indoor	High traffic	High	Pallet truck
Indoor	High traffic	High	Pallet truck
Indoor	All purpose	High	
Indoor	Easy to install	Medium	
Indoor	Design for hospitality	High	Trolley
Indoor	Design for hospitality	High	Trolley
Indoor	All purpose	Medium	
Indoor	All purpose	Medium	
Indoor	All purpose	Medium	
Indoor	All purpose	Medium	Trolley
Indoor	All purpose	Medium	
Indoor	High traffic	High	
Indoor	All purpose	Medium	
Indoor	The basic dust barrier	Medium	
Indoor	High traffic	High	Trolley
Indoor	High traffic	High	Trolley
Indoor	All purpose	Medium	
Indoor	Entry level	Medium	

QUICKMAT SOLUTION				
SUGGESTION N° 1	PAGE	OR	SUGGESTION N° 2	PAGE
SCRAPEX	9			
QUICK STAR	4			
QUICK STAR ALU	5			
QUICK TRIO	7			
QUICK STAR	4			
QUICK STAR	4	or	QUICK STAR ALU	5
QUICK DIAMOND	6	or	QUICKMAT-TILE	10
QUICK DIAMOND	6	or	QUICKMAT-TILE	10
QUICK TRIO	7	or	QUICKMAT-TILE	10
QUICK STAR	4			
QUICK STAR	4			
QUICK TRIO	7	or	QUICK ALU	8
QUICKMAT-TILE	10			
QUICK STAR	4	or	QUICK STAR ALU	5
QUICKMAT-TILE	10	or	QUICK STAR	4
QUICK TRIO	7	or	QUICK ALU	8
QUICK TRIO	7	or	QUICK ALU	8
QUICK TRIO	7	or	QUICK ALU	8
QUICK TRIO	7			
QUICK TRIO	7	or	QUICK ALU	8
QUICK STAR	4			
QUICK TRIO	7			
QUICKMAT-TILE	10	or	QUICK TRIO	7
QUICK STAR	4			
QUICK STAR	4			
QUICK TRIO	7			
QUICK DIAMOND	6			



Zone 2

Quick Star


//Design

- **QUICK STAR** is a primary mat for high traffic indoor use. Made of two 100% polyamide inserts, one with scraping fibres, the other with absorbent fibres, and separated by collecting zones. Bi-color design. To coordinate with Scrapex for outdoor.
- **Location** : Schools, office buildings, shops, clinics, banks, etc.
- **Purpose** : Scraping and absorbent mat for indoor use.


CHARACTERISTICS

Class	33 - Commercial heavy
Material	Polyamide 6.6
Backing	Latex 3 mm
Weight	3.5 kg/m ²
Thickness	13 mm
Fire resistance	Efl
Slip resistance	DS > 0,30
Water absorption	4.3 L/m ²
Availability	Cut to length or in 2m x 20m rolls


AVAILABLE COLOURS



- 1 Polyamide scraping insert
- 2 Polyamide absorbent insert
- 3 Collecting zone



	Grey/Black	Grey/Dark grey
Cut to length	18815	18816
In 2m x 20m rolls	8815	8816



Zone 2

Quick Star Alu

// High End Design

- **QUICK STAR ALU** is a primary mat for high traffic indoor use. Made of two 100% polyamide inserts, one with scraping fibres, the other with absorbent fibres, separated by an aluminium insert. Bi-color design. To coordinate with Scrapex for outdoor.
- **Location** : Schools, office buildings, shops, clinics, banks, etc
- **Purpose** : Scraping and absorbent mat for indoor use.



Flash me!


COLOUR



Grey/Dark grey

CHARACTERISTICS

Class	33 - Commercial heavy
Material	Polyamide 6.6 and mill aluminium
Backing	Latex 3 mm
Weight	6.7 kg/m²
Thickness	13 mm
Fire resistance	Efl
Slip resistance	DS > 0,30
Water absorption	3.3 L/m²
Availability	Cut to length or in 2m x 10m rolls




1 Polyamide scraping insert

2 Aluminium scraping insert

3 Polyamide absorbent insert

4 Collecting zone





Zone 2



Quick Diamond

// Cross Over

- **QUICK DIAMOND** is a cost effective primary mat for high abrasive traffic indoor use. The coarse patterned Polypropylene inserts are there to remove the most abrasive dirt from your soles. The collecting zone will take care of the removed stones and sand.
- **Location** : Schools, office buildings, shops, clinics, banks, etc.
- **Purpose** : Scraping and absorbent mat for indoor use.


CHARACTERISTICS

Class	33 - Commercial heavy
Material	Polypropylene
Backing	Latex 3 mm
Weight	3.3 kg/m²
Thickness	13 mm
Fire resistance	Efl
Slip resistance	DS > 0,30
Water absorption	3.5 L/m²
Availability	Cut to length or in 2m x 20m rolls

COLOUR




Anthracite




- 1 Polypropylene scraping insert 2 Collecting zone

The cut is made over the length L.



	Anthracite
In 2m x 20m rolls	8877



Zone 2

Quick Trio

// The "Best Seller"

- **QUICK TRIO** is a revolutionary primary mat for heavy traffic, made of 3 polyamide and polypropylene inserts :

- (1) Polyamide brush scraping insert for coarse dirt.
- (2) Needle punch polypropylene which scrapes finer dirt (sand, etc.).
- (3) Polyamide insert which absorbs moisture.


- **Location** : Offices, meeting room, etc.
- **Purpose** : Scraping and absorbent mat for indoor use.

AVAILABLE COLOURS




CHARACTERISTICS

Class	31 - Commercial moderate
Material	Polyamide 6.6 and Polypropylene
Backing	Latex 3 mm
Weight	2.75 kg/m²
Thickness	13 mm
Fire resistance	Efl
Slip resistance	DS > 0,30
Water absorption	3.5 L/m²
Availability	Cut to length or in 2m x 20m rolls



- 1 Polyamide scraping insert
- 2 Polypropylene scraping insert
- 3 Polyamide absorbent insert
- 4 Collecting zone



	Anthracite	Brown
Cut to length	18870	18871
In 2m x 20m rolls	8870	8871





33



IND



Average
(100kg)



Efl



3.7 L/m²



Zone 2

Quick Alu



// The Hybrid

- QUICK ALU** is an original primary mat for heavy traffic, made of 100% polypropylene fibre strips, combined with aluminium inserts.
- Location** : Schools, office buildings, shops, clinics, banks, etc.
- Purpose** : Scraping and absorbent mat for indoor use.

CHARACTERISTICS

Class	33 - Commercial heavy
Material	Polypropylene and mill aluminium
Backing	Latex 3 mm
Weight	6 kg/m ²
Thickness	13 mm
Fire resistance	Efl
Slip resistance	DS > 0,30
Water absorption	3.7 L/m ²
Availability	Cut to length or in 2m x 10m rolls

AVAILABLE COLOURS



	Anthracite	Brown
Cut to length	18875	18876
In 2m x 10m rolls	8875	8876



Quick Scrapex


// Outdoor

- **QUICK SCRAPEX** is a primary mat for heavy traffic and for both outdoor and indoor use. Made from 100% polyamide brush inserts for heavy scraping on perforated polypropylene dots backing for better water drainage.
- **Location** : Schools, office buildings, shops, clinics, banks, etc.
- **Purpose** : Scraping and absorbent mat for outdoor and indoor use.
- **Ideal to combine with indoor Quick Star mat for maximum dirt removal.**

CHARACTERISTICS

Class	33 - Commercial heavy
Material	Polyamide 6.6
Backing	Latex 3 mm
Weight	3.5 kg/m ²
Thickness	13 mm
Fire resistance	Efl
Slip resistance	DS > 0,30
Water absorption	3.8 L/m ²
Availability	Cut to length or in 2m x 20m rolls


AVAILABLE COLOURS




1 Polyamide scraping insert

2 Perforated collecting zone

The cut is made over the length L.



	Grey	Anthracite
Cut to length	18880	18884
In 2m x 20m rolls	8880	8884





33



IND

Zone 2



Average
(100kg)



Cfl-s1



4.3 L/m²



Quickmat-Tile


// The Modular Solution

- QUICKMAT-TILE** is an entrance mat in plank format. It consists of alternating scraping and drying polyamide strips together with a dirt collection zone. Available in 23.5 x 75 cm or in 45 x 45 cm.
- Location** : Schools, office buildings, shops, clinics, banks, etc.
- Purpose** : Scraping and absorbent mat for indoor use.


CHARACTERISTICS

Class	33 - Commercial heavy
Material	Polyamide 6.6
Backing	Bitumen with polyester
Weight	5.8 kg/m ²
Thickness	13 mm
Fire resistance	Cfl-s1
Slip resistance	DS > 0,30
Water absorption	4.3 L/m ²
Availability	23.5 x 75 cm or 45 x 45 cm 1m ² kit


AVAILABLE COLOURS



Anthracite



Grey



- 1

Polyamide scraping and absorbing insert
- 2

Collecting zone

	Anthracite	Grey
23.5 x 75 cm	8550	8551
45 x 45 cm	8555	8556



QuickMAT-TILE


- ✓ Unique product, easy and quick to install
- ✓ Backing with tackified repositionable adhesive
- ✓ If partially damage matting, simply replace the damaged plank
- ✓ Of the shelf product, with a short lead time

This **new** and very **innovative concept** require **loose lay installation** :

The tackified adhesive backing will facilitate the Quickmat Tile installation.

On the back of the plank, an arrow indicates the laying direction and, in particular, avoids differences of appearance when laying.


If fire Cfl s1 is requested, tiles must be glued down.



Video available here :



Flash me!





Head office

13/15, rue du Taillefer
ZA Les Pouards
91160 CHAMPLAN - France

Tel: +33 169 79 69 77
welcome@romusworld.com