



You want it, we print it!

INDIVIDUAL ▪ SIMPLE ▪ UNIQUE



PRODUCT CATALOGUE

ENTRANCE MATS ▪ LOGO MATS ▪ ADVERTISING MATS



JOBET – take your next step with us...

Welcome to all our customers!

We take great pride in introducing you to our extended mat range, with even wider variety, new solutions and a cutting-edge approach to design, all delivered by a dynamic and innovative specialist for high-quality entrance, logo and advertising mats.



Make our flexibility and possibilities work for you.

The entire manufacturing process from production of the surface material to printing right through to bonding of the washable rubber coating takes place on our own premises. This ensures both maximum flexibility and an extremely fast response. With the new production facility on the Halbmond Teppichwerke

company premises, an additional Chromojet printing system and a print capacity of up to 1000 square metres an hour, larger orders can be turned out significantly faster and more efficiently. Not to forget the in-house development and testing departments, which create a high potential for innovation.

Two strong partners – the basis for your success

In 2012 **JOBET** merged with **Halbmond Teppichwerke** – one of the leading suppliers of high-quality carpets and carpet contracting for hotels, offices and shops both nationally and internationally – to form the basis for their future success. Place your trust in our extensive expertise, comprehensive experience and our employees' know-how in this specialized branch.



The Halbmond Teppichwerke company premises in Oelsnitz – new JOBET GmbH headquarters since 2012.

Put your trust in our expertise, experience and Made in Germany quality.

**QUALITY
MADE IN
GERMANY**

Quality Made in Germany

- ✱ High quality standards with excellent print quality.
- ✱ A technological edge and high potential for innovation thanks to high-tech print systems and in-house development departments.
- ✱ The entire manufacturing process – from tufting through to the coating of the mats – takes place on our own premises.



Sales and consultation



Design and product development

Maximum flexibility and speedy delivery

- ✱ For small quantities through to single item production using the 2 m printing system.
- ✱ For large orders using our 4 m printing system with a print capacity of up to 1000 square metres an hour.
- ✱ The comprehensive production capacity and the further processing in-house are decisive advantages for rapid delivery of your mats.



Production and quality control



Customised extras and dispatch

The JOBET Team

JOBET prioritises the flexibility of our employees, first-class service and customer proximity. Our team of experts follow the production of your mats from consultation to design right through to dispatch and are available at every stage for your comments or questions.



Bernhard Gruber

Managing director

Tel. +49 (0)374 21-42 400

Fax +49 (0)374 21-42 410

gruber@jobet.eu



Erwina Styra

Sales management

Tel. +49 (0)374 21-42 411

Fax +49 (0)374 21-42 410

Mobil+49 (0)172-35 61 733

erwina.styra@jobet.eu



Andreas Holze

Sales

Tel. +49 (0)374 21-42 409

Fax +49 (0)374 21-42 410

Mobil+49 (0)170-53 22 166

holze@jobet.eu



Elke Baierl

Sales

Tel. +49 (0)374 21-42 400

Fax +49 (0)374 21-42 410

elke.baierl@jobet.eu



Stefanie Ehlert

Sales

Tel. +49 (0)374 21-42 402

Fax +49 (0)374 21-42 410

stefanie.ehlert@jobet.eu



Monique Neumann


Design



Luise Schädlich

Design

Quality Made in Germany




Top quality in every detail

- Radiant colours with the highest level of colourfastness and light-fastness
- Machine washable
- Patterns, lowlights and pictures in high-definition quality
- Razor-sharp contours and details
- Large range of standard sizes – up to 200 x 600 cm
- Rapid delivery of your mats in the shortest time
- The surface material is 95% recyclable – the rubber coating 100%
- All quality grades can also be ordered as plain colour mats




High performance mats for industrial use

PRIME EXCLUSIVE



Your advantages at a glance

- For industrial purposes – specifically developed to meet high demands in the laundry and textile-leasing sector
- Extremely high dirt and water absorption
- Nonslip and lies flat to ground
- Excellent colour radiance
- Can be individually printed
- Suitable for washing machine and tumble dryer
- Machine washable up to 60° C



PRIME-Standard:
additional reinforced edges
with 3.2 mm


Customised extras on request




without tread border



Tread border label tailored individually
to the customer's wishes



Inventory strips on reverse for owner
identification purposes (Mat laundries)



Nubs distributed over entire surface
on back of mat



chip

Data sheet

Yarn:	High Twist PA
Gauge:	1/8"
Surface:	Cut Pile
Primary backing:	Non-woven
Back coating:	NBR - Nitrile Butadiene Rubber
Pile weight:	800 g/m ²
Total weight:	3000 g/m ²
Border:	Approx. 20mm
Reinforced borders:	3.2 mm rubber thickness
Water absorption:	3-4 litres per m ²
Washing temperature:	60° C
Fire protection classification:	EN 13501-1



Logo mats with a high cleaning function

PRIME



Your advantages at a glance

- High advertising effect with wide-ranging possibilities and radiant colours
- Can be individually printed
- Machine washable up to 60° C
- Absorbs large quantities of dirt and water with optimal cleaning function
- Nonslip and lies flat to ground




Customised extras on request




without tread border



Tread border label tailored individually to the customer's wishes



Inventory strips on reverse for owner identification purposes (Mat laundries)



Nubs distributed over entire surface on back of mat

Data sheet

Yarn:	High Twist PA
Gauge:	1/8"
Surface:	Cut Pile
Primary backing:	Non-woven
Back coating:	NBR - Nitrile Butadiene Rubber
Pile weight:	800 g/m²
Total weight:	3000 g/m²
Border:	Approx. 20mm
Water absorption:	3-4 litres per m²
Washing temperature:	60° C
Fire protection classification:	EN 13501-1



Logo mat with dirt-retention function and high definition acutance OPTION



Your advantages at a glance

- Provides a detailed print image and simultaneously high dirt absorption
- Machine washable up to 40° C
- The mat lies flat to the ground and is skid resistant due to the rubber backing
- Can be individually printed
- Ideal for long-term advertising purposes




Customised extras on request



without tread border



Tread border label tailored individually to the customer's wishes



Nubs distributed over entire surface
on back of mat

Data sheet

Yarn:	Heat Set PA
Gauge:	1/10"
Surface:	Cut Pile
Primary backing:	Non-woven
Back coating:	NBR - Nitrile Butadiene Rubber
Pile weight:	800 g/m ²
Total weight:	2900 g/m ²
Border:	Approx. 20mm
Washing temperature:	40° C
Fire protection classification:	EN 13501-1



Promotion mats with high definition print



Your advantages at a glance

- Provides a detailed print image
- Machine washable up to 40° C
- The mat lies flat to the ground and is skid-resistant thanks to the rubber backing
- Can be individually printed
- Ideal for advertising purposes, promotions and fan articles




Customised extras on request



without tread border



Tread border label tailored individually to the customer's wishes



Inventory strips on reverse for owner identification purposes (Mat laundries)

Data sheet

Yarn:	Heat Set PA
Gauge:	1/10"
Surface:	Cut Pile
Primary backing:	Non-woven
Back coating:	NBR - Nitrile Butadiene Rubber
Pile weight:	400 g/m ²
Total weight:	2200 g/m ²
Border:	Approx. 20mm
Washing temperature:	40° C
Fire protection classification:	EN 13501-1



Outdoor mats not only for recesses

TURF PRINT



Your advantages at a glance

- This robust mat is extremely weather-resistant and suitable for very coarse dirt
- Special perforations on the back of the mat facilitate excellent rain drainage, for example
- Up to 480 process colours
- Substitutes for coconut mats



Standard dimensions Turf Print

Width:	60 cm	85 cm	100 cm	115 cm	150 cm	200 cm
Length:	40	60	200	180	200	200
		85		200	240	300
		115		240	300	400
		150		300		600
		200				
		300				
Maximum print width 200 cm, maximum length on request.						

Data sheet

Yarn:	100% PA
Gauge:	3/8"
Surface:	Grass look
Primary backing:	Non-woven 100% PP
Back coating:	Styrol-Butadiene-latex
Pile weight:	1350g/m²
Total weight:	3700 g/m²
Total height:	Approx. 11mm
Fire protection classification:	EN 13501-1

Promotion mat also in customised lengths

BASIC



Your advantages at a glance


- Long, narrow carpets with customised lengths up to 20 m in one piece for events and promotions
- Smaller formats as appealing give-aways in an adapted form
- Can be individually printed with excellent results even in the finer details
- Non-slip latex mat backing, washable up to 30° C
- Minimum order quantity 50 m²



Customised extras on request



Overlock stitched borders



Edging

Data sheet

Yarn:	PA
Gauge:	1/10"
Surface:	Cut Pile
Primary backing:	Woven 100% PP
Pile weight:	290 g/m ²
Total weight:	1200 g/m ²
Washing temperature:	30° C
Fire protection classification:	EN 13501-1




Robust standard mats with high cleaning function

TOPAS




Your advantages at a glance

- For industrial purposes – specifically developed to meet high demands in the laundry and textile-leasing sector
- Absorbs dirt and water in large quantities
- Available in all 32 standard mottled colours



TOPAS Standard:
Additionally reinforced edges with 3.2 mm



TOPAS Standard:
Perforated back


Customised extras on request




without tread border



Tread border label tailored individually to the customer's wishes



Inventory strips on reverse for owner identification purposes (Mat laundries)



Nubs distributed over entire surface on back of mat



chip

Data sheet

Yarn:	High Twist PA
Gauge:	1/8"
Surface:	Cut Pile
Primary backing:	Non-woven
Back coating:	NBR - Nitrile Butadiene Rubber
Perforated back:	Full-faced
Pile weight:	700 g/m ²
Total weight:	2800 g/m ²
Border:	Approx. 20mm
Reinforced borders:	3.2 mm rubber thickness
Water absorption:	3-4 litres per m ²
Washing temperature:	60° C
Fire protection classification:	EN 13501-1



PVC-free advertising floor mats – available in 2 versions

ECO-MAT



Your advantages at a glance

- PVC-free advertising floor mats
- Available in 2 different surfaces: ECO-Light and ECO-Prime
- Doormat made of up to 70 % recycled material
- Slip-resistant and washable
- Available with and without border
- The tread borders do not stick out or break off
- Minimum purchase possible from 250 pieces



Standard measurements:

40 x 60 cm	50 x 70 cm	60 x 85 cm
85 x 115 cm	85 x 150 cm	85 x 300 cm



ECO-LIGHT



ECO-PRIME

ECO-LIGHT

Data sheet

Yarn:	Heat Set PA
Gauge:	1/10"
Surface:	100% Polyamid 6
Primary backing:	75% PES / 25% PA-non woven
Back coating:	TPE (Thermoplast Elastomere) Rubber
Pile weight:	Approx. 430 g/m ²
Total weight:	Approx. 1990 g/m ²
Total height of the mat:	Approx. 5,5 mm

ECO-PRIME

Data sheet

Yarn:	High Twist PA
Gauge:	1/8"
Surface:	100% Polyamid 6
Primary backing:	100% woven PP
Back coating:	TPE (Thermoplast Elastomere) Rubber
Pile weight:	Approx. 780 g/m ²
Total weight:	Approx. 2260 g/m ²
Total height of the mat:	Approx. 7,5 mm



Summary of quality and mat dimensions

Product summary

	NBR	nubs	latex	action back	label	wash	480 colours	over-locking / tape
PRIME EXCLUSIVE	X	X			X	60°C	X	
PRIME	X	X			X	60°C	X	
OPTION	X	X			X	40°C		
PROMO MAT	X				X	40°C		
TURF PRINT							X	
BASIC			X	X		30°C		X
TOPAS	X	X	X		X	60°C		
ECO-LIGHT					X	40°C		
ECO-PRIME					X	40°C	X	

Standard mat dimensions

Width:	60 cm	85 cm	100 cm	115 cm	150 cm	200 cm
Length:	40	60	200	180	200	200
		85		200	240	300
		115		240	300	400
		150		300		600
		200				
		300				

Maximum printing width 200 cm, maximum length on request.
Sized stated incl. 2 cm tread border.

Print colours

0-0-0 Process Black 01	66-74-82 431 C 02	99-107-112 430 C 03	140-143-145 429 C 04
201-201-196 427 C 05	232-227-217 Cool Grey 1 06	0-56-130 294 C 07	0-51-171 Reflex Blue C 08
79-120-214 2727 C 09	171-189-227 2717 C 10	117-38-59 209 C 11	156-31-46 201 C 12
207-20-43 186 C 13	217-89-0 166 C 14	250-158-13 1375 C 15	194-125-5 146 C 16
245-227-38 107 C 17	0-92-84 3292 C 18	84-117-43 575 C 19	0-171-105 7482 C 20
168-181-10 583 C 21	79-41-38 497 C 22	125-77-56 4705 C 23	194-148-112 4665 C 24
242-232-199 7499 C 25	82-28-100 268 C 26	168-3-79 220 C 27	150-69-148 2583 C 28
252-166-209 230 29	199-173-219 2635 C 30	0-158-186 631 C 31	130-212-196 331 C 32


The 32 colours are available in all quality grades, also in plain colour mats.


Process colours

480 process colours – unlimited possibilities

Should you require a colour that is not in our standard colour range, we will find the suitable process colour to meet your needs. The process colours are available in the following quality grades: **PRIME EXCLUSIVE**, **PRIME** and **TURF PRINT**.

We can mix our 32 standard colours during printing and consequently produce up to 480 process colours. Simply let us know a value from the current colour guides e.g. Pantone or Ral. In addition to the design draft we provide you with a photo of the process colour in direct comparison with the stated colour guide tone. We produce the process colours with no extra charges for special colours.





A Halbmond Teppichwerke company



You want it, we print it!

„Carpet Diem“



You want it, we print it!

JOBET GmbH
Brückenstraße 1
D-08606 Oelsnitz, Germany

Postfach 1153
08601 Oelsnitz

Tel.: +49 37421-42-400
Fax: +49 37421-42-410
office@jobet.eu
www.jobet.eu